



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 45/00, 45/05, 39/00, 39/38, 39/12, 39/25, 35/12, 35/14, 35/16	A1	(11) International Publication Number: WO 99/12568 (43) International Publication Date: 18 March 1999 (18.03.99)
(21) International Application Number: PCT/US98/18100 (22) International Filing Date: 1 September 1998 (01.09.98) (30) Priority Data: 60/057,937 5 September 1997 (05.09.97) US (71) Applicant (for all designated States except US): MERCK & CO., INC. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): BURKE, Carl [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065 (US). VOLKIN, David [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065 (US). (74) Common Representative: MERCK & CO., INC.; 126 East Lincoln Avenue, Rahway, NJ 07065 (US).		(81) Designated States: AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GE, HR, HU, ID, IL, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, SL, TJ, TM, TR, TT, UA, US, UZ, VN, YU, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: STABILIZERS CONTAINING RECOMBINANT HUMAN SERUM ALBUMIN FOR LIVE VIRUS VACCINES (57) Abstract Compositions are provided for improving the stability of live virus vaccines containing, e.g., live varicella zoster, measles, mumps, and rubella viruses. Such improved stabilizers are aqueous solutions containing recombinant human serum albumin (rHA) as a component at from 1-100 g/l. Live virus vaccines as well as methods of preparing live virus vaccines containing the stabilizers are also provided.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

TITLE OF THE INVENTION

**STABILIZERS CONTAINING RECOMBINANT HUMAN SERUM
ALBUMIN FOR LIVE VIRUS VACCINES**

5

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of U.S. Provisional Application No. 60/057,937, filed 9/5/97, the contents of which are incorporated herein by reference in their entirety.

10

STATEMENT REGARDING FEDERALLY-SPONSORED R&D
Not applicable.

15

REFERENCE TO MICROFICHE APPENDIX
Not applicable.**FIELD OF THE INVENTION**

The present invention pertains to the use of recombinant human serum albumin in stabilizers for live virus vaccines including vaccines comprising varicella zoster, measles, mumps, and rubella viruses, individually or in combination.

20

BACKGROUND OF THE INVENTION

Varicella zoster virus (VZV) is a member of the herpesvirus family that causes chicken pox and zoster (shingles). Chickenpox is a highly contagious disease that occurs in persons with no antibodies or cell-mediated immunity to VZV. More than 90% of the population is exposed to VZV during the first two decades of life. In non-immunosuppressed children, chickenpox is characterized by mild to moderate fever and the development of maculopapular and vesicular lesions. These lesions appear primarily on the face and trunk and usually last from three to five days. Although generally not a serious problem in non-immunosuppressed children, VZV-caused disease is a severe threat to the immunosuppressed and to adults. In many cases,

25
30

VZV becomes latent in dorsal root ganglion cells. Shingles, a painful chronic condition, occurs when VZV is reactivated from the latent state.

Measles is a negative-stranded RNA virus belonging to the genus *Morbillivirus*. The measles virus is highly contagious in its human host and is disseminated by coughing and sneezing from an infected host. The virus enters the bloodstream, spreads through the body and infects lymphoid tissues. A period of infectivity persists from approximately 6-7 days prior to appearance of a rash through about 2-3 days subsequent to appearance of the rash. Prodromal symptoms of fever and malaise occur about 10 days subsequent to exposure. This is followed by a hacking cough, coryza, conjunctivitis, and possibly photophobia. Koplik spots appear approximately 2 days prior to appearance of the rash. During the stage of maximal severity of the infection the patient may complain of headaches, abdominal pain, vomiting, diarrhea, and/or myalgia.

Mumps is a negative-stranded RNA virus belonging to the genus *Paramyxovirus*. The incubation period for the mumps virus is usually 17-21 days, but may range from 8 to 37 days. After infection and growth in the respiratory tract, the virus enters the bloodstream where it is systemically delivered to various body tissues. Mumps is characterized by swelling and tenderness of the parotid gland and occasionally other salivary glands. Prior to swelling the patient may experience pain behind the jaw and just below the ear, which is increased by pressure and movement of the jaws. More severe cases may include prodromal symptoms such as anorexia, headache, vomiting, myalgia, and high fever.

Rubella virus is a positive-stranded RNA virus which is the sole member of the family *Togaviridae* and which causes german measles. Rubella infection usually occurs by airborne spread of infected droplets. Many rubella infections are subclinical, with a ratio of approximately 2:1 of inapparent to overt disease. The incubation period for rubella virus is 14-21 days, with a characteristic pattern of adenopathy, rash and low grade fever. Rubella during early pregnancy frequently results in fetal infection, which may be chronic and may

produce a spectrum of illness known as Congenital Rubella Syndrome (CRS).

Prevention of disease caused by varicella zoster, measles, mumps, and rubella viruses is a highly desirable goal and there are now commercially available live virus vaccines for these viruses. For example, there is now a vaccine for varicella zoster virus produced by Merck & Co., Inc. (VARIVAX®). Another vaccine produced by Merck & Co., Inc., M-M-R®II, is a live vaccine containing measles, mumps, and rubella viruses.

One difficulty in developing and using live virus vaccines such as VARIVAX® and M-M-R®II is that the viruses contained in such vaccines tend to be unstable. For example, cell-free live varicella zoster virus (VZV) is among the most labile of live viruses currently used in vaccines. The lability of VZV pertains not only to the virus as present in vaccine preparations, but also to the virus while it is being harvested from cell culture, and to the procedures used for lyophilizing the virus for long term storage (Bennett et al., 1991, Develop. Biol. Stand. 74:215-221). Because of this lability, VZV vaccines, like other live virus vaccines, must be combined with a stabilizing medium, even when lyophilized. See, e.g., United States Patent No. 4,338,335; United States Patent No. 4,147,772; and Howell & Miller, 1983, J. Clin. Microbiol. 18:658-662. Improvements in stabilizers for VZV are highly desirable since such improved stabilizers would permit more efficient harvesting of VZV from cell cultures as well as longer and more convenient storage of VZV vaccines. Should such improved stabilizers prove useful for other live viruses as well, they would be even more highly desirable.

Vaccine stabilizers are well known in the art as chemical compounds added to a vaccine formulation to enhance vaccine stability during low temperature storage or storage post-lyophilization.

One such chemical stabilizer is referred to as SPGA and is described in Bovarnick et al., 1950, J. Bact. 59:509-522. One liter of SPGA contains 0.218M sucrose (74.62 g), 0.00376 M KH_2PO_4 (0.52 g), 0.0071 M K_2HPO_4 (1.25 g), 0.0049 M potassium glutamate (0.912 g) and 1% serum albumin (10g).

U.S. Patent No. 3,783,098 discloses a modification of SPGA wherein monosodium glutamate is substituted for monopotassium glutamate. Also, use of a starch hydrosylate such as glucose or dextran maybe substituted wholly or partly for sucrose. Casein or PVP may be substituted wholly or partly for albumin as described in U.S. Patent No. 3,915,794.

U.S Patent No. 4,000,256 describes an SPGA stabilizer containing, per liter of sterile distilled water: 74.62 g sucrose, 0.45g KH_2PO_4 , 1.35 g K_2HPO_4 , 0.956 g monosodium L-glutamate, and 40 ml of a 25% solution of human serum albumin.

In general, an SPGA stabilizer contains from about 2 to about 10% of a particular sugar, (e.g., sucrose), from about 0.05 to about 0.3% of a mono- or dibasic alkali metal phosphate salt or mixture thereof, e.g., KH_2PO_4 , K_2HPO_4 , NaH_2PO_4 , or Na_2HPO_4 , from about 0.05 to about 0.2% of a glutamic acid alkali metal salt, e.g., sodium or potassium glutamate; and from about 0.5% to about 2% serum albumin, e.g., bovine serum albumin or human serum albumin.

Another chemical stabilizer known in the art comprises hydrolyzed gelatin, Medium O, and sorbitol. This chemical stabilizer, disclosed in U.S. Patent No. 4,147,772, comprises approximately 3.5% hydrolyzed gelatin, 3.5% sorbitol, and 1.0% Medium O, along with minimal amounts of sodium bicarbonate and phenol red.

A vaccine stabilizer modified from U.S. Patent No. 4,147,772 is disclosed in U.S. Patent No. 4,273,762. This stabilizer comprises the components disclosed in U.S. Patent No. 4,147,772 as well as minute amounts of DPG solution, which contains, among other compounds, cysteine, glutathionine, ascorbic acid, and vitamin A.

Stabilizers for live virus vaccines generally require high concentrations of sugars such as sucrose, mannitol, or sorbitol to improve virus stability during lyophilization and storage. In addition, the virus bulks contain relatively high concentrations of salts in the tissue culture media. Such high concentrations of sugars and salts make freeze drying of the vaccine preparations difficult. One problem is that physical collapse of the vaccine preparation may occur upon freeze

drying. Polymer additives such as dextran, non-recombinant human serum albumin (HSA), as well as nonhydrolyzed and hydrolyzed gelatin have been added to vaccines to raise the collapse temperature. In the case of HSA and gelatin, the inclusion of these materials may raise
5 potential safety concerns if these materials are derived from at-risk human or animal sources. These additives do not necessarily solely stabilize the virus against inactivation; they also help to prevent the physical collapse of the freeze-dried material during lyophilization and subsequent storage in the solid state. Thus, it would be advantageous to
10 develop stabilizers which both directly stabilize the live virus against inactivation, as well as protect against physical collapse of the vaccine preparation in the lyophilized state.

SUMMARY OF THE INVENTION

15 The present invention provides compositions for improving the stability of live virus vaccines containing live viruses such as, *e.g.*, live varicella zoster, measles, mumps, and rubella viruses. Such improved stabilizers contain recombinant human serum albumin (rHA) as a component. The inclusion of rHA in such compositions results in
20 improved stability of the vaccines in both the liquid and solid state as well as improved yields during the process of harvesting virus for vaccine preparation. The use of rHA allows for the formulation of vaccine stabilizers that do not contain products of animal origin, *e.g.*, non-recombinant human serum albumin or gelatin.

25 The improved stabilizers containing rHA can be used to prepare vaccines that contain varicella zoster virus, measles, mumps, and rubella viruses, where these viruses are present in the vaccine either individually or in combination. Accordingly, the present invention also provides vaccines comprising varicella zoster virus,
30 measles, mumps, and rubella viruses, individually, or in combination, where the vaccine contains rHA.

Methods of preparing vaccines containing a live virus and rHA are also provided.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1A shows the stability of measles virus at 2-8°C in various stabilizers. ---□--- = 1x HSA; ---■--- = 1x rHA; ---●--- = 2x rHA; ---▲--- = 4x rHA; ---○--- = 0.5x rHA; ---|--- = no albumin. See Example 3 for details.

Figure 1B shows the stability of rubella virus at 2-8°C in various stabilizers. ---□--- = 1x HSA; ---■--- = 1x rHA; ---●--- = 2x rHA; ---▲--- = 4x rHA; ---○--- = 0.5x rHA; ---|--- = no albumin. See Example 3 for details.

10

DETAILED DESCRIPTION OF THE INVENTION

The present invention is directed to compositions that are improved stabilizers for live virus vaccines. The improved stabilizers replace components of previous stabilizers such as non-hydrolyzed or hydrolyzed gelatin and non-recombinant human serum albumin (HSA) with recombinant human serum albumin (rHA). The present invention also provides vaccines comprising such improved stabilizers.

The present invention represents a significant improvement over the use of prior art stabilizers that included such components as gelatin or HSA in that rHA has been found to stabilize live viruses against inactivation (when compared to hydrolyzed gelatin) as well as to afford increased protection against the collapse of lyophilized vaccines.

That rHA could be substituted for HSA was not expected in that there are significant chemical differences between rHA and HSA. For example, rHA does not possess the chemical heterogeneity that is found in HSA purified from serum with respect to glycation, lipid content, and bound ligands (see, *e.g.*, Day et al., 1979, J. Biol. Chem. 254: 595-597). HSA preparations also contain albumin dimers and higher order oligomers which are only present at low levels in rHA (see, *e.g.*, Dodsworth et al., 1996, Biotechnol. Appl. Biochem. 24: 171-176). Thus, rHA is a very different and much more well-defined protein than HSA. In addition, the well-known problems associated with aggregation of rHA in the lyophilized state had to be overcome before rHA could be

incorporated in vaccine stabilizers (see, *e.g.*, Constantino et al., 1995, Bio/Technol. 13:493-496).

The present invention includes compositions for stabilizing live virus vaccines including varicella zoster virus (VZV), measles, mumps, and rubella viruses wherein the compositions comprise an aqueous solution of from 0.1% to 10%, preferably from 0.5% to 5.0%, and even more preferably, from 1.0% to 3.0%, of recombinant human serum albumin (rHA) (w/v). In a particular preferred embodiment, the composition comprises 2.5% rHA (w/v). In a particular embodiment, the compositions do not contain gelatin or HSA.

In a particular embodiment, the composition per liter of solution is:

	rHA	25 g
15	Potassium Chloride	0.16 g
	Potassium Phosphate Monobasic	0.16 g
	Sodium Chloride	6.4 g
	Sodium Phosphate Dibasic	0.91 g
	Sodium L-glutamate	1.0 g
20	Sucrose	50.0 g
	Water	balance

The pH is adjusted to pH 7.0 with NaOH.

The rHA can be conveniently provided by employing an rHA solution such as, *e.g.*, 100 ml of a 25% (w/v) rHA solution. "rHA solution" refers to an aqueous solution of rHA that can also contain 0.16 mmol of octanoate per gram of rHA and 15 mg of TWEEN®80 per liter.

It will be recognized by those of skill in the art that the composition of each of the components of the above solution can be varied somewhat. For example: the sucrose composition can be from about 20-90 g/l; the phosphate can be provided not only as potassium phosphate monobasic and sodium phosphate dibasic, but also as any mono- or dibasic alkali metal phosphate salt or mixture thereof, *e.g.*, KH_2PO_4 , K_2HPO_4 , NaH_2PO_4 , or Na_2HPO_4 , at a total phosphate concentration of from about 0.5-3 g/l; the L-glutamate can be provided by any glutamic

acid alkali metal salt, *e.g.*, sodium or potassium glutamate, at about 0.5-2 g/l; the chloride concentration can be varied somewhat, and can be provided as various combinations of sodium chloride or potassium chloride. Of course, as discussed above, the rHA concentration can vary
 5 as well. Also, the sucrose listed in the above-described stabilizer can be substituted with other sugars and sugar alcohols such as lactose, glucose, fructose, sorbitol, or mannitol.

Accordingly, the present invention includes stabilizers comprising from 1-100 g/l, preferably from 5-50 g/l, and even more
 10 preferably, from 10-30 g/l, of recombinant human serum albumin (rHA); a sugar or sugar alcohol such as sucrose, sorbitol, lactose, glucose, fructose, or mannitol at 20-90 g/l; a mono- or dibasic alkali metal phosphate salt or mixture thereof, *e.g.*, KH_2PO_4 , K_2HPO_4 , NaH_2PO_4 , or Na_2HPO_4 , at a total phosphate concentration of 0.5-3 g/l; a glutamic acid
 15 alkali metal salt, *e.g.*, sodium or potassium glutamate, at 0.5-2 g/l; and a combination of sodium and potassium chloride providing a total chloride concentration of 4-10 g/l.

In a particular embodiment, the present invention includes stabilizers containing, per liter of solution:

20

	rHA	5-50 g
	Potassium Chloride	0.05-0.3 g
	Potassium Phosphate Monobasic	0.05-0.3 g
	Sodium Chloride	4-10 g
25	Sodium Phosphate Dibasic	0.5-2 g
	Sodium L-glutamate or	
	Potassium L-glutamate	0.5-2 g
	Sucrose, Sorbitol, Lactose, Glucose,	
	Fructose, or Mannitol	20-90g
30	Water	balance

The pH is adjusted to pH 7.0 with NaOH.

In related embodiments, the stabilizers described above can also contain EDTA at 0.1-2 g/l. For example, the present invention also includes the following composition, per liter:

	rHA	25 g
	Potassium Chloride	0.16 g
	Potassium Phosphate Monobasic	0.16 g
	Sodium Chloride	8.0 g
5	Sodium Phosphate Dibasic	1.15 g
	Sucrose	50.0 g
	EDTA Trisodium Salt	0.3 g
	Water	balance
	The pH is adjusted to pH 7.0 with NaOH.	

10

In another embodiment, the present invention includes a stabilizer wherein the composition per liter of solution is:

	rHA	26.75 g
15	Sorbitol	56.8 g
	1 M Sodium Phosphate, pH 6.2	75.0 ml
	Tissue Culture Medium	balance

The pH is controlled by the phosphate buffer, resulting in a final pH of 6.5-6.8.

20

"Tissue Culture Medium" can contain amino acids, vitamins, inorganic salts, as well as other components. Various media can be used, such as Medium 199 or Minimum Essential Medium (Gibco/Life Technologies catalog, 1997, p. 1-53). Tissue culture medium
25 may also contain small amounts of sodium bicarbonate, neomycin, or other components used for maintaining cell growth and integrity.

In the stabilizer described immediately above, the rHA concentration can be varied from 1-100 g/l, is preferably from 5-50 g/l, and is even more preferably from 10-30 g/l. The sorbitol can be present in
30 the range of 20-90 g/l. Sucrose is optionally present at up to 70 g/l.

In another embodiment, the present invention provides a stabilizer whose composition per liter of solution is:

Medium 199 containing:

rHA at a concentration of 0.1% to 10%;

50 µg/ml neomycin;

2 mM L-glutamine and;

5

25% SPG;

where SPG is SPGA (described below) without albumin.

10 In a particular embodiment of the stabilizer described immediately above, the rHA is present at a concentration of 0.5% to 5%; in another embodiment, the rHA is present at a concentration of 1% to 3%.

15 The present invention includes stabilizers formed by the substitution of rHA for the HSA, bovine serum albumin, or gelatin found in many prior art stabilizers. For example, United States Patent No. 4,338,335 discloses a stabilizer containing, on a weight/volume basis, in sterile distilled water:

from about 2% to 10% sugar, *e.g.*, sucrose;

20 from about 0.05% to 0.3% of a mono- or dibasic alkali metal phosphate salt or mixture thereof, *e.g.*, KH_2PO_4 , K_2HPO_4 , NaH_2PO_4 , or Na_2HPO_4 ;

from about 0.05% to 0.2% of a glutamic acid alkali metal salt, *e.g.*, sodium or potassium glutamate; and

from about 0.5% to 2% bovine serum albumin or HSA.

25 Accordingly, the present invention provides a stabilizer for live viruses that contains, on a weight/volume basis, in sterile distilled water:

from about 2% to 10% sugar, *e.g.*, sucrose;

30 from about 0.05% to 0.3% of a mono- or dibasic alkali metal phosphate salt or mixture thereof, *e.g.*, KH_2PO_4 , K_2HPO_4 , NaH_2PO_4 , or Na_2HPO_4 ;

from about 0.05% to 0.2% of a glutamic acid alkali metal salt, *e.g.*, sodium or potassium glutamate; and

from about 0.5% to 2% rHA.

rHA can be used to replace the polymers, HSA, or gelatin in many live virus vaccines and stabilizers described in the prior art. For example, rHA can replace casein hydrolysate and dextran in formulations described in European Patent Application EP 252059; rHA
 5 can replace HSA in formulations described in European Patent Application EP 353108; rHA can replace gelatin in formulations described in U.S. Patent No. 4,985,244; rHA can replace casein or PVP in formulations described in U.S. Patent No. 3,915,794.

10 Bovarnick et al., 1950, J. Bact. 59:509-522 described a stabilizer known as SPGA that contained, on a per liter basis:

	Sucrose	74.62 g
	KH ₂ PO ₄	0.52 g
	K ₂ HPO ₄	1.25 g
15	Potassium L-glutamate	0.912 g
	Bovine serum albumin	10 g.

Accordingly, the present invention provides a stabilizer for live viruses that contains, on a per liter basis:

20	Sucrose	74.62 g
	KH ₂ PO ₄	0.52 g
	K ₂ HPO ₄	1.25 g
	Potassium L-glutamate	0.912 g
25	rHA	10 g.

Sodium L-glutamate can be substituted for potassium L-glutamate in the above-described stabilizer. Also, a starch hydrosylate such as glucose or dextran can be substituted, wholly or partially, for
 30 sucrose.

U.S. Patent No. 4,000,256 described a stabilizer that is a variant of SPGA that contained, on a per liter basis:

5	Sucrose KH_2PO_4 K_2HPO_4 Monosodium L-glutamate HSA	74.62 g 0.45 g 1.35 g 0.956 g 10 g.
---	--	---

Accordingly, the present invention provides a stabilizer for live viruses that contains, on a per liter basis:

10	Sucrose KH_2PO_4 K_2HPO_4 Monosodium L-glutamate rHA	74.62 g 0.45 g 1.35 g 0.956 g 10 g.
----	--	---

15

Another chemical stabilizer known in the art comprises hydrolyzed gelatin, Medium O, and sorbitol. This chemical stabilizer, disclosed in U.S. Patent No. 4,147,772, comprises approximately 3.5% hydrolyzed gelatin, 3.5% sorbitol, and 1.0% Medium O, along with minimal amounts of sodium bicarbonate and phenol red. According to the present invention, 3.5% rHA can be substituted for 3.5% hydrolyzed gelatin in this stabilizer to form an improved stabilizer.

A vaccine stabilizer modified from U.S. Patent No. 4,147,772 is disclosed in U.S. Patent No. 4,273,762. This stabilizer comprises the components disclosed in U.S. Patent No. 4,147,772 as well as minute amounts of DPG solution, which contains, among other compounds, cysteine, glutathionine, ascorbic acid, and vitamin A. The stabilizer disclosed in U.S. Patent No. 4,273,762 can also be improved by the substitution of rHA for hydrolyzed gelatin.

30

The present invention includes stabilizers formed by the substitution of rHA for the HSA or hydrolyzed gelatin found in the stabilizers described in provisional U.S. Patent Application Serial No. 60/033,565. Accordingly, the present invention includes a stabilizer that contains from about 15 to about 90 grams per liter of a 6-carbon

polyhydric alcohol, including but not limited to sorbitol, mannitol and dulcitol; from about 10 to about 70 grams per liter of a disaccharide, including but not limited to sucrose, lactose, maltose or trehalose; from about 1-100 g/l, preferably 5-50 g/l, and even more preferably 10-30 g/l, of rHA; and an amount of a physiologically active buffer to adjust the pH to between 6.0 and 7.0.

In a particular embodiment, the above-described stabilizer contains sorbitol as the 6-carbon polyhydric alcohol, from about 15 to about 90 grams per liter, and the disaccharide sucrose, from about 10 to about 70 grams per liter.

In another embodiment, the above-described stabilizer includes sodium chloride to about 10 g/l and preferably from about 1 to about 6 grams per liter; sodium bicarbonate in amounts to about 1.5 g/l, preferably from about 0.2 g/l to about 1.2 g/l; and cell culture medium which is a nutrient medium which promotes cell growth *in vitro*, including but not limited to known cell culture media such as Solution 199, Medium T, Medium O, Dubecco's Modified Eagles Medium, Minimal Essential Medium, and Basal Medium Eagle. Preferred media components include biologically effective amounts of Medium O, Medium T, and Solution 199. Other components of the above-described stabilizer may include, but are not limited to, biologically active amounts of an antibiotic (*e.g.*, neomycin) and a pH indicator (*e.g.*, phenol red).

The present invention also includes stabilizers S1 through S12 having the compositions shown in Table 1, on a g/l basis.

Table 1

	rHA	Sorbitol	NaCl	Sucrose	Bicarb -onate	Glucos e	Citrate
S1	26.8	46.8	3.38	40.00	0	0.46	2.53
S2	26.8	46.8	3.38	40.00	0	0.46	0
S3	26.8	46.8	0	40.00	0	0	2.53
S4	26.8	46.8	0	40.00	0	0	0
S5	26.8	46.8	3.38	20.00	0	0.46	2.53
S6	26.8	46.8	0	20.00	0	0	2.53
S7	26.8	56.8	0	30.00	0	0	0
S8	26.8	56.8	3.38	30.00	0	0.46	0
S9	26.8	46.8	3.38	40.00	0.59	0.46	0
S10 10	26.8	46.8	0	0	0	0	2.53
S11 11	26.8	46.8	3.38	40.00	0.59	0.46	2.53
S12	26.8	56.8	3.38	30.00	0.59	0.46	0

5 In the stabilizers listed in Table 1, the bicarbonate and citrate can be provided in any convenient form.

The present invention includes vaccines comprising a live virus, *e.g.*, varicella zoster virus (VZV), measles virus, mumps virus, or rubella virus, individually or in combination with one or more other live viruses, in any of the above-described stabilizers of the present invention.

10 In a particular embodiment, the vaccine contains a live virus selected from the group consisting of VZV, measles, mumps, and rubella. In another embodiment, the vaccine comprises measles, mumps, and rubella viruses. In another embodiment, the vaccine comprises VZV, measles, mumps, and rubella viruses. Other viruses may also be used

15 with the stabilizers of the present invention. Thus, the present invention includes vaccines comprising influenza, polio, hepatitis, herpes simplex

1, or herpes simplex 2 viruses, rotavirus, or combinations thereof, in any of the above-described stabilizers of the present invention.

The concentration of rHA in the vaccine can be from 0.1% to 10%, is preferably from 0.5% to 5.0%, and, even more preferably, from 1.0% to 3.0% (w/v). In a particular preferred embodiment, the vaccine comprises 2.5% rHA (w/v). In a particular embodiment, the vaccine does not contain gelatin or HSA. Accordingly, in a particular embodiment, the present invention provides a vaccine comprising at least one live virus selected from the group consisting of VZV, measles, mumps, and rubella wherein the vaccine further comprises rHA at 0.1% to 10% (w/v). In another embodiment, the present invention provides a vaccine comprising at least one live virus selected from the group consisting of VZV, measles, mumps, and rubella wherein the vaccine further comprises rHA at 0.5% to 5% (w/v). In another embodiment, the present invention provides a vaccine comprising at least one live virus selected from the group consisting of VZV, measles, mumps, and rubella wherein the vaccine further comprises rHA at 1.0% to 3.0% (w/v). In another embodiment, the present invention provides a vaccine comprising at least one live virus selected from the group consisting of VZV, measles, mumps, and rubella wherein the vaccine further comprises rHA at 2.5% (w/v).

The present invention also includes vaccines comprising at least one virus selected from the group consisting of varicella zoster virus, measles virus, mumps virus and rubella virus; recombinant human serum albumin at a concentration of from 1-100 g/l, preferably 5-50 g/l, even more preferably 10-30 g/l, and most preferably 25 g/l; and a sugar or sugar alcohol at 20-90 g/l; a mono- or dibasic alkali metal phosphate salt or mixture thereof at a total phosphate concentration of from 0.5 to 3 g/l; a glutamic acid alkali metal salt at 0.5 to 2 g/l; and a combination of sodium and potassium chloride providing a total chloride concentration of 4-10 g/l.

The present invention also includes vaccines comprising at least one virus selected from the group consisting of varicella zoster virus, measles virus, mumps virus and rubella virus; recombinant

human serum albumin at a concentration of from 1-100 g/l, preferably 5-50 g/l, even more preferably 10-30 g/l, and most preferably 25 g/l; where the vaccine further comprises, per liter:

5	Potassium Chloride	0.05-0.3 g
	Potassium Phosphate Monobasic	0.05-0.3 g
	Sodium Chloride	4-10 g
	Sodium Phosphate Dibasic	0.5-2 g
	Sodium L-glutamate or	
10	Potassium L-glutamate	0.5-2 g
	Sucrose, Sorbitol, Lactose, Glucose,	
	Fructose, or Mannitol	20-90g.

The present invention also includes vaccines comprising at least one virus selected from the group consisting of varicella zoster virus, measles virus, mumps virus, and rubella virus; recombinant human serum albumin at a concentration of from 1-100 g/l, preferably 5-50 g/l, even more preferably 10-30 g/l, and most preferably 25 g/l; where the vaccine further comprises, on a per liter basis:

20	Potassium Chloride	0.16 g
	Potassium Phosphate Monobasic	0.16 g
	Sodium Chloride	6.4 g
	Sodium Phosphate Dibasic	0.91 g
	Sodium L-glutamate	1.0 g
25	Sucrose	50.0 g.

The present invention also includes vaccines comprising at least one virus selected from the group consisting of varicella zoster virus, measles virus, mumps virus, and rubella virus; recombinant human serum albumin at a concentration of from 1-100 g/l, preferably 5-50 g/l, even more preferably 10-30 g/l, and most preferably 25 g/l; where the vaccine further comprises, on a per liter basis: sorbitol at 20-90 g/l; sucrose at 0-70 g/l; 1 M Sodium Phosphate, pH 6.2, at 65-85 ml; and Tissue Culture Medium.

The present invention also includes vaccines comprising at least one virus selected from the group consisting of varicella zoster virus, measles virus, mumps virus, and rubella virus; recombinant human serum albumin at a concentration of from 1-100 g/l, preferably 5-50 g/l, even more preferably 10-30 g/l, and most preferably 25 g/l; where the vaccine further comprises, on a per liter basis:

Sorbitol	56.8 g
1 M Sodium Phosphate, pH 6.2	75.0 ml
Tissue Culture Medium	balance.

10

The above-described vaccines can be lyophilized by procedures well known in the art to provide a lyophilized vaccine having improved stability.

The present invention also includes live virus vaccines in which the virus is originally not present in one of the stabilizers of the present invention but is then mixed with one of the stabilizers of the present invention in order to prepare the final vaccine formulation. The ratio (on a volume/volume basis) of virus preparation to stabilizer that is mixed to prepare the final vaccine formulation is generally from about 1:100 to 1:1. Preferably the ratio is 1:20, even more preferably 1:10, and most preferably 1:3, although ratios of 1:2 or even 1:1 are also contemplated. Thus, whatever the solution a live virus stock is present in, that stock can be mixed advantageously with one of the stabilizers of the present invention, according to the ratios above, to produce a vaccine preparation.

Accordingly, the present invention includes live virus vaccines and methods of preparation of live virus vaccines where the vaccine is prepared by mixing a live virus preparation with a stabilizer wherein the stabilizer comprises rHA at from 0.1% to 10% (w/v) of the stabilizer and the virus and stabilizer are mixed in a ratio of from about 1:100 to 1:1, with preferred ratios being 1:20, or 1:10, or 1:3.

In a particular embodiment, the stabilizer does not contain HSA or gelatin, either non-hydrolyzed or hydrolyzed.

In a particular embodiment, the live virus is selected from the group consisting of VZV, measles, mumps, and rubella.

In a particular embodiment, the stabilizer comprises rHA at from 0.5% to 5% (w/v). In another embodiment, the stabilizer comprises rHA at from 1% to 3% (w/v). In another embodiment, the stabilizer comprises rHA at 2.5% (w/v).

Following mixing of a virus preparation and a stabilizer of the present invention, as described above, the vaccine thereby formed can be lyophilized by procedures well known in the art to provide a lyophilized vaccine having improved stability.

VZV can be isolated from the papular eruptions of children in the acute phase of chickenpox. VZV isolated in this manner is cultured *in vitro* over multiple passages in appropriate cell lines to produce a live, attenuated virus, harvested from the cells, and used to form vaccines. This can be accomplished according to the methods described in, *e.g.*, United States Patent No. 4,000,256; United States Patent No. 4,952,674; United States Patent No. 5,360,736. Methods of combining VZV with other viruses to form multivalent vaccines are known in the art. See, *e.g.*, United States Patent No. 5,024,836 which discloses a quadrivalent vaccine of VZV, measles, mumps, and rubella. Included in the present invention is the use of rHA instead of HSA, bovine serum albumin, or gelatin in the stabilizers of the above-cited prior art methods of harvesting VZV from cell lines and making VZV vaccines. In particular, as described in detail herein, the present invention includes the use of rHA in stabilizers that are used to harvest VZV from MRC-5 cells.

Methods of measuring the titers of VZV preparations are well known in the art. See, *e.g.*, Krah et al., 1990, J. Virol. Methods 27:319-326, which describes a method that involves culturing MRC-5 cells, which are susceptible to VZV infection, to an actively replicating state, that is, to a point where the cells are about 50-80% confluent. VZV is then overlaid onto the cell monolayer in a minimal volume, allowed to attach to the cells and then additional growth medium is added. After

several days of growth, the cells are exposed to a protein stain and clear areas, or plaques, are counted.

As is the case for VZV, methods of isolating and measuring the titers of measles, mumps, and rubella viruses are well known in the art.

5 “Hydrolyzed gelatin” refers to gelatin that has been subjected to partial hydrolysis to yield a partially hydrolyzed gelatin having a molecular weight of about 3,000. This gelatin hydrolysis product has approximately the same amino acid composition as gelatin.

10 Unlike gelatin which forms gels but is insoluble in cold water, hydrolyzed gelatin does not gel but is soluble in cold water and other common liquids such as milk and orange juice. Aqueous solutions containing up to about 10% hydrolyzed gelatin do not increase appreciably in viscosity. Above about 10% concentration, viscosity

15 increases slowly. At about 50% concentration, solutions are quite viscous. The typical amino acid composition of hydrolyzed gelatin is known. Partially hydrolyzed gelatin may be obtained from any number of commercial sources, for instance under the tradename Dynagel. Partially hydrolyzed gelatin may also be obtained by enzymatic

20 hydrolysis of gelatin by means of a proteolytic enzyme, such as, for example, papain, chymopapain, and bromelin, although other known hydrolysis means may be employed, *e.g.*, acid hydrolysis.

 “MEM” is a tissue culture medium that is described in the Gibco/Life Technologies Catalog, 1997, p. 1-57.

25

 The following non-limiting examples are presented to better illustrate the invention.

EXAMPLE 1

30 Recombinant human serum albumin stabilizes varicella zoster virus alone or in combination with other viruses at many temperatures over various periods of time.

Stability at 4°C

The stability of varicella zoster virus (VZV) alone (VARIVAX®) or in combination with measles, mumps, and rubella live viruses (M-M-R®II-VZV) at 4°C was tested in stabilizers with and without recombinant human serum albumin (rHA). VARIVAX® is a currently licensed VZV vaccine that is described at pages 1807-1810 of the 1997 edition of the Physician's Desk Reference (Medical Economics, Montvale, NJ). M-M-R®II-VZV is a quadrivalent vaccine currently under development by Merck & Co., Inc. that includes VZV in PGS stabilizer (see below) and M-M-R®II. M-M-R®II is a live vaccine containing measles, mumps, and rubella viruses that is described on pages 1730-1732 of the 1997 edition of the Physician's Desk Reference (Medical Economics, Montvale, NJ).

The stabilizer PGS with EDTA is known in the art and has been described in various publications (*e.g.*, Koyama, K., and Osame, J., Stabilized live vaccine, EP patent 568726 A2, 1993).

PGS contains the following ingredients on a per liter basis:

20	Hydrolyzed Gelatin	25 g
	Potassium Chloride	0.16 g
	Potassium Phosphate Monobasic	0.16 g
	Sodium Chloride	6.4 g
	Sodium Phosphate Dibasic	0.91 g
	Sodium L-glutamate	1.0 g
25	Sucrose	50.0 g
	Water	balance.

As a stabilizer containing rHA, the hydrolyzed gelatin of PGS was replaced by an equivalent weight of rHA to form the stabilizer P(rHA)S. Thus, the composition of P(rHA)S on a per liter basis is:

rHA Solution, 25% w/v	100 mL
Potassium Chloride	0.16 g
Potassium Phosphate Monobasic	0.16 g

- 5 Sodium Chloride 6.4 g
 Sodium Phosphate Dibasic 0.91 g
 Sodium L-glutamate 1.0 g
 Sucrose 50.0 g
 Water balance.
 The concentration of rHA in P(rHA)S is 2.5% (w/v), or
25 g/l.

- 10 VZV infected MRC-5 cells were harvested, sonicated, and
clarified in both stabilizers (PGS and P(rHA)S) and then lyophilized,
either alone as in VARIVAX®, or in combination with measles,
mumps, and rubella viruses, as MMRII®-VZV. The lyophilized viral
preparations were then incubated at 4°C for three months.

- 15 Following these incubations, VZV viral titers were
measured as described in Krah et al., 1990, J. Virol. Methods 27:319.
The results are shown in Table 2 and are reported as percent PFU/ml
remaining at the indicated time. Table 2 shows that the inclusion of
rHA rather than gelatin in the stabilizer resulted in equivalent or
increased potency of the virus after incubation at 4°C for two and three
months.

Table 2

Time in 4°C incubation	VZV Potency % remaining - VZV in P(rHA)S	VZV Potency % remaining - MMRII®-VZV in P(rHA)S	VZV Potency % remaining - VZV in PGS
1 month	77	78	84
2 months	86	72	68
3 months	65	61	61

5

Stability at 30°C

The stability of lyophilized VZV alone (VARIVAX®) or lyophilized in combination with measles, mumps, and rubella live viruses (M-M-R®II-VZV) at 30°C was tested in stabilizers with and without rHA. As a stabilizer without rHA, PGSE was used. PGSE contains the following amounts per liter:

	Hydrolyzed Gelatin	25.0 g
	Potassium Chloride	0.16 g
15	Potassium Phosphate Monobasic	0.16 g
	Sodium Chloride	8.0 g
	Sodium Phosphate Dibasic	1.15 g
	Sucrose	50.0 g
	EDTA Trisodium Salt	0.3 g
20	Water	balance.

As a stabilizer containing rHA, the hydrolyzed gelatin of PGSE was replaced by an equivalent weight of rHA to form the stabilizer P(rHA)SE. Thus, the composition of P(rHA)SE on a per liter basis is:

25

	rHA Solution, 25% (w/v)	100 mL
	Potassium Chloride	0.16 g
	Potassium Phosphate Monobasic	0.16 g
	Sodium Chloride	8.0 g
5	Sodium Phosphate Dibasic	1.15 g
	Sucrose	50.0 g
	EDTA Trisodium Salt	0.3 g
	Water	balance.

10 The concentration of rHA in P(rHA)SE is 2.5% (w/v), or
25 g/l.

In a manner similar to that described above for the stability tests done at 4°C, VZV, either alone as VARIVAX®, or in combination with measles, mumps, and rubella viruses, as M-M-R®II-VZV, was
15 incubated at 30°C for one week in either PGSE or P(rHA)SE. VZV alone was also incubated at 30°C for one week in either PGS or P(rHA)S.

Following these incubations, viral titers were measured as above. The results are shown in Table 3. Data are presented as percent of VZV PFU/ml remaining after one week at 30°C. Table 3 shows that,
20 in all cases tested, the inclusion of rHA rather than gelatin in the stabilizer resulted in increased potency of the virus after incubation at 30°C for one week.

Table 3

25

Stabilizer	VZV alone	VZV in M-M-R®II-VZV
PGS	35	-
P(rHA)S	43	-
PGSE	27	15
P(rHA)SE	36	37

Stability at 37°C

The stability of lyophilized VZV (as VARIVAX®) at 37°C was tested in stabilizers with and without rHA. As a stabilizer without rHA, PGS was used. PGS is described above. As a stabilizer containing rHA, P(rHA)S was used. P(rHA)S is described above.

In a manner similar to that described above for the stability tests done at 4°C and 30°C, VZV was incubated at 37°C for one week in either PGS or P(rHA)S.

Following this incubation, viral titer was measured as above. The results are shown in Table 4. Data are presented as percent of VZV PFU/ml remaining after one week at 37°C. Table 4 shows that the inclusion of rHA rather than gelatin in the stabilizer resulted in increased potency of the virus after incubation at 37°C for one week.

Table 4

Stabilizer	VZV % potency remaining
PGS	18
P(rHA)S	35

The results reported in this Example provide evidence for a direct affect of rHA on viral stability in the solid state during storage when compared to hydrolyzed gelatin (*i.e.*, not an effect mediated by prevention of physical collapse of lyophilized virus plugs since neither type of formulations (with gelatin or with rHA) led to plug collapse during storage).

EXAMPLE 2

Recombinant human serum albumin stabilizes varicella zoster virus during harvesting of the virus

Varicella zoster virus (VZV) was grown in MRC-5 cells and harvested according to the procedures described in Asano & Takahashi, 1978, Biken J. 21: 15-23 and Takahashi et al., 1975, Biken J. 18: 25-33. Similar procedures are described in U.S. Patent No. 5,607,852 and U.S.

Patent No. 5,360,736. The aforementioned procedures were modified so that the stabilizer added during harvesting was one of the three stabilizers PGS, PGF, or P(rHA)S. PGS and P(rHA)S are described above. PGF contains the following amounts on a per liter basis:

5	Hydrolyzed Gelatin	25 g
	Potassium Chloride	0.16 g
	Potassium Phosphate Monobasic	0.16 g
	Sodium Chloride	6.4 g
10	Sodium Phosphate Dibasic	0.91 g
	Sodium L-glutamate	1.0 g
	Fructose	50.0 g
	Water	balance.

15 The same lot of virus-infected cells was used for all three stabilizers. Following harvesting, sonication, and clarification, VZV titers were determined as described above. The results are shown in Table 5.

20 Table 5

Stabilizer	VZV titer (PFU/ml)
PGS	100,000
PGF	142,000
P(rHA)S	1,360,000

Table 5 shows that the use of a stabilizer that contains rHA led to an almost ten-fold higher titer than the use of any other stabilizer. This result is evidence for increased yields during the harvesting, processing, and filtration steps. One explanation for this increased bulk potency is a direct effect of rHA on viral stability in the liquid state during processing, (i.e., not an effect mediated by prevention of physical collapse of lyophilized vaccine plugs) since no freezing or freeze-drying was involved. Another explanation is that rHA is preventing losses in

viral potency during the filtration step by affecting viral bulk characteristics and virus interactions with the filtration material. Thus, the use of rHA rather than hydrolyzed gelatin confers the unexpected benefit of direct stabilization of the virus in the liquid and
 5 solid state instead of simply protection against physical collapse of lyophilized virus plugs in the solid state during storage.

EXAMPLE 3

Effect of recombinant human serum albumin on the stability of other
 10 viruses

The effect of recombinant human serum albumin (rHA) on the stability of other, i.e., non-varicella zoster, viruses was tested. The stability of measles, mumps, and rubella viruses was evaluated in stabilizers with and without rHA. Measles, mumps, and rubella
 15 viruses were tested as the vaccine M-M-R®II. M-M-R®II is described at pages 1730-1732 of the 1997 edition of the Physician's Desk Reference (Medical Economics, Montvale, NJ).

As a stabilizer without rHA, GOS was used. GOS is the stabilizer in which M-M-R®II is provided. In the final M-M-R®II
 20 vaccine, GOS comprises 67.5% of the total volume and is combined with 7.5% 1 M sodium phosphate buffer, pH 6.2, and 25% viral bulks and diluents. GOS contains the following amounts in one liter of solution:

25	Hydrolyzed Gelatin	39.7 g
	Sorbitol	39.7 g
	Tissue Culture Medium	balance.

As a stabilizer containing rHA, the hydrolyzed gelatin of GOS was replaced by an equivalent weight of rHA to form the stabilizer
 30 (rHA)OS. Thus, the composition of (rHA)OS per liter is:

rHA	39.7 g
Sorbitol	39.7 g
Tissue Culture Medium	balance.

M-M-R®II was prepared with either GOS or (rHA)OS as stabilizer, lyophilized, and then incubated at 37°C for one week.

Following these incubations, viral titers were measured. The results are shown in Table 6. Data are presented as the loss in potency (expressed as log PFU/ml) after one week at 37°C.

Table 6

Virus	(rHA)OS	GOS
Measles	0.9	0.9
Mumps	1.0	0.9
Rubella	0.4	0.3

10

The results shown in Table 6 indicate that the stabilities of measles, mumps, and rubella viruses are similar in GOS and (rHA)OS. These results demonstrate that the inclusion of rHA in stabilizers does not adversely affect the stability of non-VZV viruses and that rHA is an acceptable substitute for hydrolyzed gelatin in live virus vaccine stabilizers. This represents a significant advance because such replacement of gelatin avoids any potential safety concerns that might be raised by the fact that gelatin is derived from animals. Thus, it is feasible and desirable to include rHA in a stabilizer for M-M-R®II vaccine or in combination vaccines that include VZV and other viruses, such as M-M-R®II-VZV.

15
20

This conclusion is underscored by further studies, illustrated in Figures 1A and 1B, which demonstrated that the inclusion of rHA in tissue culture media does not adversely affect, and in some cases can improve, the stability of non-VZV viruses. Figures 1A and 1B represent the results of studies of the stability of measles and rubella virus in M-M-R®II incubated at 2-8°C in tissue culture media containing either non-recombinant human serum albumin (HSA), rHA at various concentrations, or no albumin.

25

The compositions tested in Figure 1A were as follows:

5	1x HSA	=	Medium 199 containing: 50 µg/ml neomycin; 2 mM L-glutamine; 25% SPG (v/v); and 0.25% HSA. where SPG is SPGA (described earlier) without albumin.
	10		
	1x rHA	=	Same as 1x HSA except that 0.25% rHA was substituted for HSA
	2x rHA	=	Same as 1xHSA except that 0.50% rHA was substituted for HSA
	15		
	4x rHA	=	Same as 1xHSA except that 1.0% rHA was substituted for HSA
20	0.5x rHA	=	Same as 1xHSA except that 0.125% rHA was substituted for HSA
	No albumin	=	Same as 1xHSA except that HSA was omitted (and rHA was not added).

The stabilizers tested in Figure 1B were as follows:

5	1x HSA	=	60% MEM containing: 50 µg/ml neomycin; 2 mM L-glutamine; 25% SPG (v/v); and 0.4% HSA
10			40% sorbitol-gelatin where sorbitol-gelatin is 35.7 g/L sorbitol, 35.7 g/L hydrolyzed gelatin, and 0.1 M sodium phosphate, in tissue culture medium.
15	1x rHA	=	Same as 1x HSA except that 0.4% rHA was substituted for HSA. Thus, the final rHA concentration was 0.24%.
20	2x rHA	=	Same as 1xHSA except that 0.8% rHA was substituted for HSA. Thus, the final rHA concentration was 0.48%.
25	4x rHA	=	Same as 1xHSA except that 1.6% rHA was substituted for HSA. Thus, the final rHA concentration was 0.96%.
	0.5x rHA	=	Same as 1xHSA except that 0.2% rHA was substituted for HSA. Thus, the final rHA concentration was 0.12%.
30	No albumin	=	Same as 1xHSA except that HSA was omitted (and rHA was not added).

From the results shown in Figures 1A and 1B, several conclusions can be drawn:

5 For measles virus at 2-8°C, rHA at all concentrations tested within the range of 0.125% to 1.0% is more effective than HSA.

10 For rubella virus at 2-8°C, the scatter of points makes it difficult to draw firm conclusions, but it appears that rHA at concentrations ranging from 0.12% to 0.96% is at least as effective as HSA.

15 The above results demonstrate that for measles and rubella virus at 2-8°C, rHA is at least as effective as HSA, and, under some conditions, may be more effective. Similar data was generated under more accelerated conditions of incubation at 35°C.

20 In addition, one may conclude from these results that, over the range of concentrations 0.12% to 1.0%, the amount of rHA in a vaccine stabilizer does not seem to have a marked influence on the effectiveness of the stabilizer for liquid state stability of the viruses. In other words, if rHA is effective at 1.0%, it is also likely to be effective at 0.12%.

EXAMPLE 4

Recombinant human serum albumin

25 Recombinant human serum albumin (rHA) was obtained from Centeon, Inc. The rHA had been prepared in *Saccharomyces cerevisiae* which had been recombined with the human gene for albumin together with a leader sequence which regulates the secretion of the recombinant protein into the fermentation medium. A semi-continuous method of fermentation is used. The fermentation media was
30 centrifuged after incubation to separate the yeast cells from the centrate which contains rHA. The centrate was purified extensively by multiple step chromatography to a purity where remaining yeast proteins are approximately 1 ppm (limit of detection). Then the product was

concentrated by ultrafiltration to obtain solutions of up to 25% (w/v). The product is formulated with 0.16 mmol of octanoate per gram of rHA and 15 mg of Tween-80 per liter.

5 The above-described process for making rHA is meant to be illustrative only. rHA made by any recombinant process in yeast host cells may be used in the present invention. Such processes are well known in the art.

10 According to literature reports, aggregation of rHA has been observed in the lyophilized state and can cause problems for vaccine preparation (Constantino et al., 1995, Bio/Technol. 13:493-496). Therefore, the aggregation state of rHA in several vaccine formulations of the present invention was examined. After incubation of the formulations at 37°C for 1 week or 4°C for 2 months, no significant change in aggregate content was observed using analytical non-
15 denaturing size exclusion HPLC (SEC-HPLC). In addition, conformational data collected from FTIR spectra suggest that the secondary structure of rHA was not changed after incubation in the lyophilized state.

Table 7

Stabilizer	Storage conditions	% Aggregate	% Monomer
(rHA)OS	liquid, -70°C, control	3.1	96.9
	lyophilized, -70°C, control	3.3	96.7
	lyophilized, 37°C, 1 week	3.7	96.3
	lyophilized, 4°C, 1 month	3.4	96.6
	lyophilized, 4°C, 2 months	3.6	96.4
(rHA)OS33	liquid, -70°C, control	3.7	96.3
	lyophilized, -70°C, control	3.7	96.3
	lyophilized, 37°C, 1 week	not tested	not tested
	lyophilized, 4°C, 1 month	3.6	96.3
	lyophilized, 4°C, 2 months	3.7	96.3
P(rHA)S in VARIVAX®	liquid, -70°C, control	2.7	97.3
	lyophilized, -70°C, control	2.7	97.3
	lyophilized, 37°C, 1 week	2.6	97.4
	lyophilized, 4°C,	2.6	97.3

P(rHA)S in MMRV	1 month		
	lyophilized, 4°C, 2 months	2.7	97.3
	liquid, -70°C, control	2.7	97.3
	lyophilized, -70°C, control	2.7	97.3
	lyophilized, 37°C, 1 week	2.8	97.2
	lyophilized, 4°C, 1 month	2.7	97.3
	lyophilized, 4°C, 2 months	2.7	97.3

The composition of (rHA)OS33 per liter is:

5	rHA Solution, 25% w/v	159 mL
	Sorbitol	84.2 g
	Sucrose	44.4 g
	Tissue Culture Medium	balance.

- 10 In the above-described stabilizer (rHA)OS33, the amount of sorbitol and sucrose can be varied. The amount of sorbitol can be from 20-90 g/l and the amount of sucrose can be from 2-70 g/l. The amount of rHA can vary from 0.1% to 10%.

The present invention is not to be limited in scope by the specific embodiments described herein. Indeed, various modifications of the invention in addition to those described herein will become apparent to those skilled in the art from the foregoing description. Such
5 modifications are intended to fall within the scope of the appended claims.

Various publications are cited herein, the disclosures of which are incorporated by reference in their entireties
10

WHAT IS CLAIMED:

1. A stabilizer for live virus vaccines comprising an aqueous solution of recombinant human serum albumin (rHA) at 1-100 g/l; a sugar or sugar alcohol at 20-90 g/l; a mono- or dibasic alkali metal phosphate salt or mixture thereof at a total phosphate concentration of from 0.5 to 3 g/l; a glutamic acid alkali metal salt at 0.5 to 2 g/l; and a combination of sodium and potassium chloride providing a total chloride concentration of 4-10 g/l.
2. The stabilizer of claim 1 wherein the rHA concentration is 5-50 g/l.
3. The stabilizer of claim 1 wherein the rHA concentration is 10-30 g/l.
4. The stabilizer of claim 1 further comprising EDTA at 0.1-2 g/l.
5. The stabilizer of claim 1 comprising, per liter:

rHA	5-50 g
Potassium Chloride	0.05-0.3 g
Potassium Phosphate Monobasic	0.05-0.3 g
Sodium Chloride	4-10 g
Sodium Phosphate Dibasic	0.5-2 g
Sodium L-glutamate or Potassium L-glutamate	0.5-2 g
Sucrose, Sorbitol, Lactose, Glucose, Fructose, or Mannitol	20-90g.

6. The stabilizer of claim 5 comprising, per liter:
- | | |
|-------------------------------|---------|
| rHA | 25 g |
| Potassium Chloride | 0.16 g |
| Potassium Phosphate Monobasic | 0.16 g |
| Sodium Chloride | 6.4 g |
| Sodium Phosphate Dibasic | 0.91 g |
| Sodium L-glutamate | 1.0 g |
| Sucrose | 50.0 g. |
7. A stabilizer for live virus vaccines that is an aqueous solution comprising, per liter: recombinant human serum albumin (rHA) at 1-100 g; sorbitol at 20-90 g; sucrose at 0-70 g; 1 M Sodium Phosphate, pH 6.2, at 65-85 ml; and Tissue Culture Medium.
8. The stabilizer of claim 7 comprising, per liter:
- | | |
|------------------------------|----------|
| rHA | 26.75 g |
| Sorbitol | 56.8 g |
| 1 M Sodium Phosphate, pH 6.2 | 75.0 ml |
| Tissue Culture Medium | balance. |
9. A stabilizer for live virus vaccines that is an aqueous solution comprising: about 1-100 g/l of recombinant human serum albumin; about 15-90 g/l of a 6-carbon polyhydric alcohol; about 10-70 g/l of a disaccharide; and an amount of a physiologically active buffer to adjust the pH to between 6.0-7.0.
10. The stabilizer of claim wherein 9 the 6-carbon polyhydric alcohol is selected from the group consisting of sorbitol, mannitol, and dulcitol; and the disaccharide is selected from the group consisting of sucrose, lactose, maltose, and trehalose.
11. The stabilizer of claim 10 wherein the 6-carbon polyhydric alcohol is sorbitol at about 15-90 g/l; the disaccharide is sucrose at about 10-70 g/l; and the stabilizer further comprises sodium

chloride at about 1-6 g/l; sodium bicarbonate at about 0.2-1.2 g/l; and cell culture medium selected from the group consisting of Solution 199, Medium T, Medium O, Dubecco's Modified Eagles Medium, Minimal Essential Medium, and Basal Medium Eagle.

5

12. A stabilizer for live virus vaccines comprising:
Medium 199 containing:
rHA at a concentration of 0.1% to 10%;
50 µg/ml neomycin;
2 mM L-glutamine and;
25% (v/v) SPG.

13. A stabilizer for live virus vaccines that is an aqueous solution comprising, per liter:

15	rHA	39.75 g
	Sorbitol	84.2 g
	Sucrose	44.4 g
	Tissue Culture Medium	balance.

20 14. A stabilizer for live virus vaccines that is an aqueous solution comprising, per liter:

	rHA	1-100 g
	Sorbitol	20-90 g
	Sucrose	2-70 g
25	Tissue Culture Medium	balance.

15. A stabilizer for live virus vaccines comprising, on a weight/volume basis, in sterile distilled water:

30 from about 2% to 10% of a sugar;
from about 0.05% to 0.3% of a mono- or dibasic alkali metal
phosphate salt or mixture thereof;
from about 0.05% to 0.2% of a glutamic acid alkali metal
salt; and
from about 0.5% to 2% of rHA.

16. A live virus vaccine comprising:
(a) at least one virus selected from the group consisting of
varicella zoster, measles, mumps, and rubella; and
5 (b) recombinant human serum albumin at a concentration
of 0.1% to 10% (w/v).
17. A live virus vaccine prepared by lyophilizing the
vaccine of claim 16.
10
18. The vaccine of claim 16 wherein the rHA
concentration is from 0.5% to 5%.
19. The vaccine of claim 16 wherein the rHA
15 concentration is from 1% to 3%.
20. The vaccine of claim 16 wherein the virus is
varicella zoster.
21. The vaccine of claim 16 wherein the virus is
20 measles, mumps, and rubella.
22. The vaccine of claim 16 wherein the virus is
varicella zoster, measles, mumps, and rubella.
25
23. The vaccine of claim 16 further comprising a
sugar or sugar alcohol at 20-90 g/l; a mono- or dibasic alkali metal
phosphate salt or mixture thereof at a total phosphate concentration of
from 0.5 to 3 g/l; a glutamic acid alkali metal salt at 0.5 to 2 g/l; and a
30 combination of sodium and potassium chloride providing a total chloride
concentration of 4-10 g/l.

24. The vaccine of claim 16 further comprising, per liter:
- | | | |
|----|--|------------|
| 5 | Potassium Chloride | 0.05-0.3 g |
| | Potassium Phosphate Monobasic | 0.05-0.3 g |
| | Sodium Chloride | 4-10 g |
| | Sodium Phosphate Dibasic | 0.5-2 g |
| | Sodium L-glutamate or Potassium L-glutamate | 0.5-2 g |
| 10 | Sucrose, Sorbitol, Lactose, Glucose, Fructose, or Mannitol | 20-90g. |
25. The vaccine of claim 24 comprising, per liter:
- | | | |
|----|-------------------------------|---------|
| 15 | Potassium Chloride | 0.16 g |
| | Potassium Phosphate Monobasic | 0.16 g |
| | Sodium Chloride | 6.4 g |
| | Sodium Phosphate Dibasic | 0.91 g |
| | Sodium L-glutamate | 1.0 g |
| | Sucrose | 50.0 g. |
26. The vaccine of claim 16 further comprising, per liter: sorbitol at 20-90 g/l; sucrose at 0-70 g/l; 1 M Sodium Phosphate, pH 6.2, at 65-85 mL; and Tissue Culture Medium.
27. The vaccine of claim 16 wherein the rHA concentration is 26.75 g/l and further comprising, per liter:
- | | | |
|----|------------------------------|----------|
| 25 | Sorbitol | 56.8 g |
| | 1 M Sodium Phosphate, pH 6.2 | 75.0 ml |
| | Tissue Culture Medium | balance. |
28. The vaccine of claim 16 wherein the rHA concentration is 39.75 g/l and further comprising, per liter:
- | | | |
|----|-----------------------|----------|
| 30 | Sorbitol | 84.2 g |
| | Sucrose | 44.4 g |
| | Tissue Culture Medium | balance. |

29. A live virus vaccine comprising:
(a) at least one virus selected from the group consisting of
varicella zoster, measles, mumps, and rubella; and
5 (b) Medium 199 containing:
rHA at a concentration of 0.1% to 10%;
50 µg/ml neomycin;
2 mM L-glutamine and;
25% SPG.
10
30. A method of preparing a live virus vaccine that
comprises mixing a live virus preparation containing at least one virus
selected from the group consisting of varicella zoster, measles, mumps,
and rubella with the stabilizer of claim 1.
15
31. The method of claim 30 wherein the ratio of live
virus preparation to stabilizer is between 1:100 and 1:1.
32. The method of claim 31 wherein the ratio of live
20 virus preparation to stabilizer is 1:3.
33. The method of claim 31 wherein the ratio of live
virus preparation to stabilizer is 1:2.
34. A method of harvesting varicella zoster virus that
includes the step of disrupting cells containing varicella zoster virus in
the presence of the stabilizer of claim 1.
25




FIG.1A




FIG.1B

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/18100

A. CLASSIFICATION OF SUBJECT MATTER IPC(6) :A61K 45/00, 45/05, 39/00, 39/38, 39/12, 39/25, 35/12, 35/14, 35/16 US CL :424/278.1, 184.1, 204.1, 520, 529, 530 According to International Patent Classification (IPC) or to both national classification and IPC																				
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) Please See Extra Sheet.																				
C. DOCUMENTS CONSIDERED TO BE RELEVANT																				
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.																		
Y	'Use of Recombinant Human Albumin in the Formulation of Proteins'. In: Research Disclosure, published by Kenneth Mason Publications, Ltd. August 1995. No. 376. page 516, disclosed anonymously.	1-34																		
Y	US 5,098,704 A (VALENZUELA) 24 March 1992, col. 5, lines 34-45, claim 5.	1-34																		
Y	US 4,147,772 A (MCALEER et al.) 03 April 1979, col. 2, lines 1-70, claims 1-10.	1-34																		
Y	US 4,338,335 A (MCALEER et al.) 06 July 1982, abstract and claims.	1-34																		
Y	US 4,337,242 A (MARKUS et al.) 29 June 1982, col. 1, lines 35-65, col. 3, lines 30-60.	1-34																		
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.																				
<table border="0"> <tr> <td>* Special categories of cited documents:</td> <td>*T</td> <td>later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</td> </tr> <tr> <td>*A* document defining the general state of the art which is not considered to be of particular relevance</td> <td>*X*</td> <td>document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</td> </tr> <tr> <td>*E* earlier document published on or after the international filing date</td> <td>*Y*</td> <td>document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</td> </tr> <tr> <td>*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</td> <td>*A*</td> <td>document member of the same patent family</td> </tr> <tr> <td>*O* document referring to an oral disclosure, use, exhibition or other means</td> <td></td> <td></td> </tr> <tr> <td>*P* document published prior to the international filing date but later than the priority date claimed</td> <td></td> <td></td> </tr> </table>			* Special categories of cited documents:	*T	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention	*A* document defining the general state of the art which is not considered to be of particular relevance	*X*	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone	*E* earlier document published on or after the international filing date	*Y*	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art	*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A*	document member of the same patent family	*O* document referring to an oral disclosure, use, exhibition or other means			*P* document published prior to the international filing date but later than the priority date claimed		
* Special categories of cited documents:	*T	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention																		
A document defining the general state of the art which is not considered to be of particular relevance	*X*	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone																		
E earlier document published on or after the international filing date	*Y*	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art																		
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A*	document member of the same patent family																		
O document referring to an oral disclosure, use, exhibition or other means																				
P document published prior to the international filing date but later than the priority date claimed																				
Date of the actual completion of the international search 27 SEPTEMBER 1998		Date of mailing of the international search report 20 OCT 1998																		
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230		Authorized officer JAY WILLIAMS Telephone No. (703) 308-0196																		

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/18100

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 3,783,098 A (CALNEK et al.) 01 January 1974, claims 1-23.	1-34
Y	JP 57007423 A (TAKEDA CHEM IND LTD) 15 September 1993. English abstract.	1-34
Y	EP 0 568 726 A2 (THE RESEARCH FOUNDATION FOR MICROBIAL DISEASES OF OSAKA UNIVERSITY) 10 November 1993, pages 5-9.	1-34

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US98/18100

B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

APS, STN ONLINE, MEDLINE, EMBASE, BIOSIS, SCI SEARCH, WPIDS, JAPIO

search terms: live virus vaccines, stabilizers, recombinant human serum albumin, rHA, sucrose, sorbitol, cell culture media, 6-carbon polyhydric alcohol